

A PROJECT AT THE END OF THE WORLD.

And a piping system that supplies all of the essentials right from the start.

Viega. Connected in quality.

Bharati Research Station, Antarctica

viega



CONTENTS

78

Viega Prevista

100

Viega Flush Plates



Viega Pre-Wall

FLUSHING SYSTEM THAT OFFERS YOU DESIGN FREEDOM.



Viega Prevista

PRE-WALL/ FLUSHING TECHNOLOGY.



Viega pre wall solutions - for wet wall and dry wall construction.

Viega Mono Smart/Viega Eco Smart

- Depth-adjustable of 105 mm–155 mm
- Construction height wet construction: 1070 mm, 820 mm
- Construction height dry construction: 1120 mm
- Ready-to-connect pre-mounted
- Interchangeable water connection
- Actuation from above and from front

Resources

For more information on Viega Mono Smart/Eco Smart you can visit:

<https://www.viega.in/en/products/Catalogue/Pre-wallflushing-technology/Viega-Mono-SmartViega-Eco-Smart.html>
<http://smartcistern.viegaindia.com/>

To download the Z-dimensions and product drawings in DWG2D, DWG3D, DFX2D, DFX3D, ISG3D, PDF3D, SAT3D, STP3D formats visit the individual article's page and scroll down. Web page of individual article could also be visited either by browsing through the website <https://www.viega.in> or by entering the article code or product name in the search bar of the website. This search bar appears on the top of every page.


To watch the installation video of Viega Smart Cistern you can visit:

<https://www.viega.in/en/service/downloadcenter.html>

To know about nearest Viega Stores in your city you can visit: <https://www.viega.in/en/dealer-search.html>

Viega Prevista Concealed Cistern Smart FLUSHING SYSTEM THAT OFFERS YOU DESIGN FREEDOM.

Viega Prevista Concealed Cistern Smart gives specifiers freedom to design bathroom spaces as per their imagination. With product designed and engineered for Indian requirements, this world class concealed cistern is versatile in many ways. The innovative design gives you the flexibility to either have top or front actuation. The cistern offers flexibility for low height application as well. It is highly adaptable, due to its provision for left/right water inlets. Loaded with benefits, Viega Prevista Concealed Cistern Smart enables you with limitless design possibilities and freedom to explore.



i ADVANTAGES AT A GLANCE

- A cistern for a construction height of 1070 mm to 820mm possible
- Top and front actuation options as standard
- Water connection from either left or right side, saves piping material
- Water-saving adjustable drain valve
- Especially quiet and anti-scaling filling valve
- Valve seat can be replaced if damaged
- Easy servicing, 25-year spare part assurance, 10 years warranty period according to Viega warranty policy

ADVANTAGE VIEGA. AT A GLANCE.


Many years of experience and the high quality standards that characterise Viega engineering make sure that our products rank amongst the most reliable and popular ones in the market. The results: unique advantages from the planning, installation and operating points of view; appreciated by fitters and users the world over.

	<p>Leave more room for beauty More design space to reinvent the bathroom</p>		<p>Flush by flush eco-friendlier A reduction in water use</p>
	<p>Viega Engineering for Indian requirement Offers design freedom</p>		<p>Flexible by design / Easy to offer Simple switch between top and front flush actuation</p>
	<p>Adaptable for low height application as well</p>		<p>Quiet operation Anti scaling valve assists in smooth and silent operation</p>
	<p>Quick ready for next flush</p>		<p>Heavy duty Can take load up to 400 kg with frame</p>
	<p>Prevista is easy to install and easy to maintain</p>		<p>10 year warranty for cisterns and flush plates according to Viega warranty policy</p>

Viega Pre-wall System

THE COMPLETE SYSTEM THAT IS PERFECT FOR INDIAN CONDITIONS.



Viega concealed cisterns are ideally designed for both wet and dry wall construction. This enables you to create an artistic and superior bathroom in either situation. Viega concealed cisterns are a product of ever reliable and durable Viega technology. They are space saving, have excellent design and have proved to be the most convenient.




Dry, quick, economical.

Pre-wall installation in dry construction has a number of benefits. Work can be done faster and more flexibly. There is no need to plan in drying periods, and individual forms can be catered for more easily. Viega has the right solution for dry construction pre-wall technology.

- Fast processing
- Less material = less weight to be brought into the building
- Short drying / waiting times
- Economical construction
- 1 element for both wood and metal support profile
- Actuation from the front or top, also in dry construction
- Stable construction
- Accessories for reinforcement
- Planking support for dry construction



Fulfills all safety standards, tested to 400 kg loading and easy to clean below the ceramic unit.




Definite disadvantages: Loss of space and more difficult to clean

Even with pre-wall you can save space
 In addition to concealed installation, it is possible to position the element Viega Eco Smart in front of the wall (fig. 1). The space required is not more than the space used for several traditional installation methods (fig. 2). This solution supports the structure of the wall, provides better noise reduction and more freedom when positioning WC's.

Viega Prevista

ONE TECHNOLOGY. MANY SOLUTIONS.

With Viega Prevista, you have the choice between Prevista Pure for wetwall constructions and Prevista Dry for drywall constructions. All Viega Prevista actuating plates are compatible with the Prevista cisterns. The design that is chosen to be installed, comes down to a question of taste preference, not the technology. Fixing is easy: The Viega Pure 820 and 1070 mm are simply mounted and walled in via the retaining brackets. The Viega Prevista Dry 820, 980 and 1120 mm with the stable frame can be fixed with the Prevista mounting set, model 8573.



I

Prevista Pure Concealed Cistern Smart Model K8501.3

- Compatible with all Prevista WC flush plates, wet construction installation
- Flush actuation from front or top, dual flush technology, can be shortened from 1070–820 mm

Components

pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3S, reinforcement fabric, ePS-foam revision frame, fixing material


Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Note

* 355 for construction height 820 mm

Article 785 567



II

Prevista Pure Concealed Cistern Smart Model K8873.8

- Compatible with all Prevista WC flush plates, wet construction installation
- Flush actuation from front only, dual flush technology, can be shortened from 1070–820 mm

Components


pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3S, reinforcement fabric, ePS-foam revision frame, fixing material

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Note

Article 792 664



III

Prevista Pure Concealed Cistern 80mm Model K8503

- Compatible with all Prevista WC flush plates, wet construction installation
- Flush actuation from front only, dual flush technology, can be shortened from 1228–1088 mm

Components


pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3F, reinforcement fabric, ePS-foam revision frame, fixing material

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Note

Article 798 536



IV

Prevista Pure WC block Concealed Cistern 80mm Model K8513

- Compatible with all Prevista WC flush plates, wet construction installation
- Flush actuation from front only, dual flush technology

Components


galvanised steel frame, pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3F, WC connection elbow DN90 made of PP, eccentric adapter, DN90 / 100, WC connection fitting, reinforcement fabric, ePS-foam revision frame, fixing material for frame

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Note

Article 798 543



V

**Prevista Pure WC block
Concealed Cistern Smart 820 mm
Model K8515.3**

- Compatible with all Prevista WC flush plates, wet construction installation
- Flush actuation from front or top, dual flush technology


Components

galvanised steel frame, pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3S, WC connection elbow DN90 made of PE, eccentric adapter DN90/100, WC connection fitting, reinforcement fabric, ePS-foam revision frame, fixing material for frames

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Article 792 435



VI

**Prevista Pure WC block
Concealed Cistern Smart 1070 mm
Model K8510.3**

- Compatible with all Prevista WC flush plates, wet construction installation
- Flush actuation from front only, dual flush technology


Components

galvanised steel frame, pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3S, WC connection elbow DN90 made of PE, eccentric adapter DN90/100, WC connection fitting, reinforcement fabric, ePS-foam revision frame, fixing material for frame

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Article 792 428



VII

**Prevista Dry WC Element Smart 1120 mm
Model K8520.3**

- For flush plates Viega Visign for Life Smart
- For pre-wall mounting please order separately: Viega Eco Plus fixing set model 8180.73
- In addition optional available Viega Eco Smart crossbeam model K8520.31
- Flush actuation from front only, dual flush technology


Components

powder-coated steel frame, pre-mounted water path with water connection R $\frac{1}{2}$, filling valve, drain valve, concealed cistern 3S, WC connection elbow DN90 made of PP, eccentric adapter DN90/100, WC connection fitting, fixing material for element (for floor) and ceramic, screws (self-drilling) for fixing to metal support profiles, hole \varnothing 11 mm for fixing in wooden frame construction

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l

Article 792 657




VII

**Viega Eco Crossbeam
Model K8520.31**

- suitable for Viega Eco WC element 1120 mm Smart model K8520.3

Scope of supply

powder-coated steel frame
Article 758 813



I

**Prevista Dry WC element
with shower WC connection
980 mm**

Model 8530

- For pre-wall mounting please order separately:
Prevista Dry fixing set model 8570.36
- In addition optional available Prevista Dry support set
for WC ceramic with small locating surface (< 17 cm)
model 8570.37
- Steel PE
- Compatible with all WC flush plates for Prevista, integra-
tion in Prevista Dry Plus, dual flush technology, barrier-free

Components

powder-coated frame (40x40), concealed cistern 3H, flushing
throttle, empty pipe for shower WC connection, WC connec-
tion fitting, fixing material, extensible lockable feet for height
adjustment, water connection R $\frac{1}{2}$ at the back and top,
WC connection elbow DN90 (depth-adjustable) made of PP,
eccentric adapter DN90/100 made of PP

Technical data

small flush volume factory setting approx. 3 l
small flush volume setting range approx. 2–4 l
large flush volume factory setting approx. 6 l
large flush volume setting range approx. 3.5–7.5 l
Articel 772 000



II

**Prevista Dry WC element
with shower WC connection, adjustable ceramic height
1120 mm**

Model 8521


- In addition optional available Prevista Dry Support set
for WC ceramic with small locating surface (< 17 cm)
Model 8570.37
- For pre-wall mounting please order separately:
Prevista Dry Fixing set Model 8570.36
- Steel PE
- Compatible with all WC flush plates for Prevista,
integration in Prevista Dry Plus, variably adjustable
ceramic height, dual flush technology, barrier-free

Components

powder-coated frame (40x40), concealed cistern 3H, flushing
throttle, empty pipe for shower WC connection, WC connec-
tion fitting, fixing material, extensible lockable feet for height
adjustment, water connection R $\frac{1}{2}$ at the back and top,
WC connection elbow DN90 (depth-adjustable) made of PP,
eccentric adapter DN90/100 made of PP

Technical data

Partial flush volume factory setting approx. 3 l
Partial flush volume setting range approx. 2–4 l
Full flush volume factory setting approx. 6 l
Full flush volume setting range approx. 3.5–7.5 l
Articel 771 997



III

**Prevista Dry WC element with shower WC connection
820 mm**

Model 8533

- For pre-wall mounting please order separately:
Prevista Dry fixing set model 8570.36
- In addition optional available Prevista Dry support set
for WC ceramic with small locating surface (< 17 cm)
model 8570.37
- Steel PE
- Compatible with all WC flush plates for Prevista, integra-
tion in Prevista Dry Plus, dual flush technology, flush
actuation from front or top, barrier-free

Components

powder-coated frame (40x40), concealed cistern 3L, empty
pipe for shower WC connection, WC connection fitting, fixing
material, extensible lockable feet for height adjustment,
water connection R $\frac{1}{2}$, WC connection elbow DN90
(depth-adjustable) made of PP, eccentric adapter DN90/100
made of PP

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l
Articel 772 017



IV

**Prevista Dry WC element ceramic height individually
adjustable at the touch of a button by the user
1120 mm**

Model 8521.32

- Only use with WC cover plate for Prevista model 8570.39
- Steel PE
- Compatible with all WC flush plates for Prevista, integra-
tion in Prevista Dry Plus, ceramic height individually
adjustable at the touch of a button by the user, dual flush
technology, barrier-free
- Without: cover plate

Components


powder-coated frame (40x40), concealed cistern 3H, flushing
throttle, WC connection fitting, fixing material, extensible lock-
able feet for height adjustment, water connection R $\frac{1}{2}$ at the
back and top, WC connection elbow DN90 (flexible) made of
PE, eccentric adapter DN90/100 made of PE

Technical data

partial flush volume factory setting approx. 3 l
partial flush volume setting range approx. 2–4 l
full flush volume factory setting approx. 6 l
full flush volume setting range approx. 3.5–7.5 l
Articel 772 024

Viega Flush Plates

VISIGN ACTUATING PANELS: PERFECTION COMES FROM DETAILS.



Components for WC and urinal actuation made of high-quality materials and design variations for superior bathroom architecture.

The glass designs of the Viega WC flush plates and urinal equipment sets are made exclusively from tempered glass.

The conversion of mechanical actuating methods to electronic models is possible. The Viega Service Center is always at hand when choosing the suitable conversion kit.

Note

Concealed cistern 1H, 1L and 1C can be combined with the flush plates of the design versions »Visign for Style« and »Visign for More« - conversion kits see spare parts and inlet accessories group.

Viega concealed cistern ranges

- 1999 up to 07/2007: 1H, 1L, 1C, Standard 1S
- From 07/2007: 2H, 2L, 2C, Standard 2S

Resources

For more information on Viega Flush Plates you can visit:
<https://www.viega.in/en/products/Catalogue/Pre-wallflushing-technology/WC-and-urinal-actuation-accessories/WC-flush-plates.html>

Flush plate configurator is a tool available on the website which helps user to visualize which tile/marble will match/contrast with Viega Flush Plates. You can visit Viega Flush plate configurator:
<https://www.viega.in/en/service/viega-flush-plate-configurator.html>

To download the Z-dimensions and product drawings in DWG2D, DWG3D, DFX2D, DFX3D, ISG3D, PDF3D, SAT3D, STP3D formats visit the individual article's page and scroll down. Web page of individual article could also be visited either by browsing through the website <https://www.viega.in> or by entering the article code or product name in the search bar of the website. This search bar appears on the top of every page.


To watch the installation video of Viega Smart Cistern you can visit:
<https://www.viega.in/en/service/downloadcenter.html>

To know about nearest Viega Stores in your city you can visit:
<https://www.viega.in/en/dealer-search.html>

Viega Visign. The new flush plates.

DESIGN THAT'S IN ITS ELEMENT ON EVERY VIEGA PRE-WALL.

High-end design that can be installed on any pre-wall element: The new Viega flush plates for Prevista permit modern living



Front and top actuation



Hygiene function



touchless



LED



afterglow actuator plate




infrared



The most appealing way to avoid touching something Assuring exemplary cleanliness, easy to maintain, and attractive in design: The Viega Visign for More 205 sensitive and Visign for Style 25 sensitive touchless flush plates provide supreme flushing comfort and convenience in any bathroom. Both flush plates activate flushing when a hand is held close in front of the desired flush function on the plate. That means user enjoy maximum flushing comfort and convenience, while also avoiding germs and bacteria. The flush plates are as clean and durable as they are attractively designed: All surfaces are very easy to clean, and will retain their positive attributes for decades to come.

Visign for More 205 sensitive (Model 8625.1)



Jet black glass
Article 774 363

Further accessories can be found in the current catalogue



Back to nature.


Wood is natural, wood is warm, wood exudes quality of life. Not only through its appealing appearance and haptic properties, but also through its positive effects on the room's ambience.

With the Visign for More 200 flush plate made of stained oak you can achieve a perfect counterpart to wood-accented walls. The two flush plate sections have a matching grain, and each flush plate is genuinely unique.

But Visign for More 200 is an optical highlight not only when it is made of real wood. The two glass variants give a sense of floatation and radiate a special air of lightness and flair. In contrast, new colours such as copper-gold and anthracite each make an unmistakable statement. Together, this means that Visign for More 200 flush plates can satisfy whatever design ideas you may have.

Visign for More 200 (Model 8620.1)


DESIGN PLUS
powered by ISH



Jet black/
wood stained oak
Article 773 564



Jet black glass
Article 773 588



Traffic white glass
Article 773 571




Metal anthracite
Article 773 595



Metal copper/
gold-coloured
Article 773 601


Further accessories can be found in the current catalogue



A liking for luxury.

Distinctive design, lasered from a single piece of metal: This is the new, electronically operable Visign for More 201 flush plate – made of brushed stainless steel. The extremely thin plate fits any high-quality wall furnishing, optionally at tile level or with an LED frame. The plate protrudes slightly towards the user, while the buttons incline further forwards. This lends the plate a clear-cut visual and haptic accent.

Visign for More 201
(Model 8621.1)



Brushed stainless steel
Article 773 526



Traffic white stainless steel
Article 773 502




Anthracite stainless steel
Article 773 519



A real highlight.

The Visign for More 202 turns the WC flush round. Well, to be exact: It turns the usual press operation into a rotation. The organic design with LED illumination invites you to try it out – and even tempts you not to let go. The prominent, rotating knob represents a bold antithesis to today's dominant flat designs – and underlines this with tile-level installation if desired. The electronically actuated flush goes ideally with organic architecture and patchwork bathrooms in retro-styled room themes. The colour scheme also leaves no wishes unfulfilled: The individual paintwork is available in many different special colours.


Visign for More 202
(Model 8622.1)



Traffic white metal
Article 773 458




Traffic white/
chrome-plated metal
Article 773 465



Cool understatement.

Flushing buttons are round as a rule. Which means it's high time to create some exceptions to the rule, says Viega. The results are a visual invitation to touch: The new Visign for More 204 dispenses with traditional round buttons in favour of a bar that only needs a light touch – a little longer for the main flush and just briefly for the smaller flush volume. The slim bar made of brushed stainless steel looks almost like a lapel pin on the wall – very decorative and with electronic actuation for a specially elegant flair. Illumination is also possible with the optional LED installation frame.

Visign for More 204
(Model 8624.1)



Stainless steel
anthracite/brushed
stainless steel
Article 773 670




Stainless steel
anthracite
Article 773 656



Polished
stainless steel
Article 773 649





Brushed
stainless steel
Article 773 663



Touchless elegance.

Appealingly contradictory: The shape is an invitation to touch it. But the intelligent illumination architecture makes clear: no need! The after-glow paint charges itself during the day from natural and artificial sources of light so that it glows in the dark and provides for orientation without the need to switch on the light. The shape and finish of the electronically actuated plate remind one of a smartphone, while the grid of illuminated points is more reminiscent of a modern multi-media screen. The clean white-look underlines the maximized degree of hygiene that you achieve with this bathroom highlight.

Visign for Style 25
(Model 8615.1)




Alpine white
Article 774 356



The middle way.

Strict geometry in perfect combination with a gentle feel – Visign for Style 24 is an aesthetic exclamation mark in any bathroom. The centrally placed, vertical buttons stand out from the crowd of traditionally horizontal button arrangements. You can accentuate your particular taste even more with the bichromatic versions. With its tile-level installation, Visign for Style 24 enhances any bathroom design.

**Visign for Style 24
(Model 8614.1)**



Alpine white
Article 773 281

Jet black acrylic/
stainless steel
coloured
Article 773 328

Jet black acrylic/matt
jet black
Article 773 311

Chrome-plated
Article 773 267

Chrome matt
Article 773 274

Stainless steel
coloured
Article 773 298




Jet black
Article 773 304



Slimline.

Bathroom design is moving towards softer geometric shapes in addition to the classic rectangles: Visign for Style 23 reflects this with longitudinally oval flush buttons, more rounded edges or a chrome-plated frame, reminiscent of a smart-phone, that makes the plate appear to float in front of the wall. It is available in ten colours, as desired tone-in-tone or in a contrast-rich bichromatic version.

**Visign for Style 23
(Model 8613.1)**



Alpine white
Article 773 151



Jet black acrylic/
stainless steel
coloured
Article 773 182



Jet black acrylic/matt
jet black
Article 773 199



Chrome-plated
Article 773 052




Chrome matt
Article 773 069



Stainless steel
coloured
Article 773 168



Jet black
Article 773 175







Clear cut.

Robust, understated, no frills – that is Visign for Style 21. The different widths of the flush buttons generate visual tension that is compensated by the uniform widths of the vertical margins. With a construction depth of just 8 mm, this minimalist design leaves no room for ambiguity and feels at home in any puristic bathroom surroundings such as a Bauhaus-inspired style. For especially smooth integration, this design is also available for tile-level installation.

**Visign for Style 21
(Model 8611.1)**



Alpine white
Article 773 250



Chrome-plated
Article 773 236




Chrome matt
Article 773 243



Rounded off.

Good design and balanced contrasts are inseparable. Which is why this classic of design plays with round flush buttons set in a rectangular geometry. The button for the main flush is slightly convex, while the button for the small volume is concave. Because that has proved so popular with our customers, we have gone even further to improve the attractiveness of the flush plate, with sharper contours, a better haptic experience and modified technology. The very slim plate has a construction depth of only 8 mm, so it can be integrated into any wall design at tile level by means of an installation frame if desired. Discover a timeless classic in a new look.

**Visign for Style 20
(Model 8610.1)**



Alpine white
Article 773 793



Chrome-plated
Article 773 779



Chrome matt
Article 773 786




Smartly remote.

Whether from round the corner, from the opposite wall or from a piece of furniture nearby: With Visign for Style 23 and Visign for More 200 you actuate the flush wherever it is most convenient – and at the same time you benefit from maximum design flexibility.



Visign for Style 23 fits unobtrusively in any wall or furniture item. The longitudinally oval double flush button integrates harmoniously into the rectangular frame. The low and high flush volumes are indicated by pressure points.

**Viega Visign for Style 23
(Model 8640.1)**



Alpine white
Article 773 083




Chrome-plated
Article 773 076



Visign for More 200 makes its point with a subtle elegance and jet black or white glass.


**WC remote actuation for
Prevista Visign for More 200
electronic
(Model 8641.1)**



Jet black glass
Article 773 106



Traffic white glass
Article 773 090



Viega Visign for Life 5 Smart
(Model K8601.3)




Chrome-plated
Article 785 581



Chrome matt
Article 792 688



Alpine white
Article 792 695



Viega Visign for Life 6 Smart
(Model K8602.3)



Chrome-plated
Article 786 953



Chrome matt
Article 792 701



Alpine white
Article 792 718

Viega Prevista. The flush systems.

INVISIBLE INTELLIGENCE: IN-WALL FLUSH ACTUATORS.


Helping to assure maximum hygiene is not a luxury. Various flushing technologies, installed intelligently and invisibly in the wall, ensure exemplary hygiene in the home and in public facilities.



Hygiene meets design freedom: the concealed flush actuator


Assuring protection against vandalism for public amenities, and providing high levels of hygiene and purist design for private bathrooms: urinal flush actuation with no flush plate or cover plate.

Visign for Public 10 (Model 8630.1)




Brushed stainless steel
Article 774 349

Visign for Public 12 (Model 8635.1)



Brushed stainless steel
Article 774 370

Visign for Public 11 (Model 8631.1)



Brushed stainless steel
Article 774 325



Traffic white stainless steel
Article 774 332



Traffic white stainless steel
Article 774 387

Accessories/spare parts

PRE-WALL/FLUSHING TECHNOLOGY



Accessory set electronic

Model 8655.11

- Equipped with drive unit model 8580.29
- Use with WC flush plate for Prevista Visign for Style 25 model 8615.1, WC flush plate for Prevista Visign for More 201 model 8621.1, WC flush plate for Prevista Visign for More 202 model 8622.1, WC flush plate for Prevista Visign for More 204 model 8624.1, WC flush plate for Prevista Visign for More 205 model 8625.1, WC flush plate for Prevista Visign for Public 12 model 8635.1, WC remote actuation for Prevista Visign for Style 23 model 8640.1, WC remote actuation for Prevista Visign for More 200 model 8641.1

Components

power pack (cable length 1,05 m)

Technical data

power supply voltage 100–240 V AC/50–60 Hz

Article 783 952



WC installation frame for Prevista with LED lamps

Model 8650.1

- For all Prevista concealed cisterns
- Only use with WC flush plate for Prevista Visign for More 201 model 8621.1, WC flush plate for Prevista Visign for More 204 model 8624.1

- Plastic

Components

fixing frame, fixing bolt, connection piece

Note

Orientation light lights up when coming closer!

Article 775 803



WC installation frame for Prevista flush with tiles

Model 8651.1

- For Prevista concealed cistern, tile-level installation of the WC flush plate, dry construction

- Plastic

Note

The tile-level installation frame can only be used in the Viega pre-wall systems Prevista Dry and Prevista Dry Plus!

Article 775 810



WC tablet holder for Prevista

Model 8653.1

- For WC cleaning tabs, concealed cistern 3H, concealed cistern 3L

- Plastic

Components

base frame, tablet holder, fixing frame

Article 775 366